

## HOLLAND STREET, BIRMINGHAM,

May 1st, 1876.

Owing to the numerous applications and general wishes of our customers to be supplied with a Book of Fender Designs to assist them in ordering, and to take orders from, we have brought out a smaller book to bind with our Fire-Iron Book.

We have carefully selected the Newest and most Saleable Patterns for this Book, but all the old patterns can be supplied as usual.

Most of the Rail Fenders can be had with Plain Steel Supports for 7/- extra, or with Ormolu Supports about 12/- extra. If required with Steel Bottom Spring either left Bright or Blacked, about 5/- to 7/- extra.

The first column in Price List representing first four sheets of designs are not Fine Cast and will not do for a best trade, but are showey useful fenders at a low price, for instance, No. 991 is heavier and deeper fender than No. 51.

We do the Largest Fender Trade of any house extant, and give it special attention, but there being such a variety of patterns and sizes few can be stocked, we would therefore ask our friends to send on orders as early as possible to enable us to forward without disappointing them.

Yours respectfully.

J. & E. FRAZER.

### OF FENDERS, STANDS, &c


	FENDERS.				FENDERS.				FENDERS.				STANDS.			
No.	PRICE. PRICE. REMARKS.		No. PRICE. PRICE.		REMARKS.	No. PRICE.		PRICE.	REMARKS.	No.	No. PRICE. PRICE.		REMARKS.			
300 887 150 153 10 11 11a	15/- 27/- 38/- 45/- 45/- 5/6 8/6	48/- 48/- 6/- 9/-	dozen.  Brt. Top & Knobs each. Steel Moulding.	x83 x84 x156 x82 x129 x151 x153	2/4 3/3 8/6 6/- 8/6 14/9 4/9	2/8 3/6 9/3 6/6 9/- 15/3 5/3		56 24 93 97 51 33 77	3/6 4/- 4/6 5/9 7/- 8/- 8/9	4/- 4/6 } 5/- \$ 6/3 7/6 8/6 9/6	With T Piece on Long Lengths.	0012	3/3 4/6 5/9 6/- 7/6 7/9 7/9	3/6 5/- 6/3 6/6 8/- 8/3 8/3		
152 988 987 987a 991 991a 962	5/8 5/6 5/6 8/6 5/6 8/6 8/-	5/9 & 6/- 6/- 9/- 6/- 9/- 8/6	Steel Moulding. Steel Moulding.	x103 116 117 x154 x155 x110 100	4/9 9/- 9/9 9/- 10/9 19/9 12/6	5/8 9/6 10/6 9/6 11/6 20/6 13/6	Tile Hearth.	76 52 115 114 113 124 125	10/9 12/6 12/6 16/6 17/6 15/6 16/9	11/6 13/8 13/6 17/6 18/6 16/6 71/9	Not Brit. Moulding but Brit. Surface. Steel Moulding. Ormolu Sup. 12/-ex	0029 008 002 0020 x212 x213	9/- 10/- 9/- 9/- 27/6 24/-	9/6 10/6 9/6 9/6 28/6 25/-		
963 964 966 81 1999 889	10/- 10/- 7/6 12/- 13/6 2/3	10/6 10/6 8/- 12/6 14/- 2/6	Steel Moulding.	100R x168 x163 x111 x112 x146	18/6 26/- 27/6 24/6 24/- 22/6	19/6 27/- 28/6 25/6 25/-	" Bottom Plate 2/-ex	126 127 244 244 246 246	19/6 21/- 24/6 36/6 25/6 37/6	20/6 22/- 25/6 37/6 26/6 35/6	Steel ditto 7/-ex Bright Surface. Ormola supports Bright Surface. Ormolu supports			EN FE		
700 700a 250 251 26	5/- 8/- 5/9 7/- 9/6	5/6 8/6 6/3 7/6 7/6	Will have T Pieces, Steel Moulding.	x147 x79 x79 407 886 427	22/6 24/6 37/6 5/- 8/-	25/6 38/6 5/3 8/6	B'ze. or BB. 1/6 less Ormolu Supports.	249 249 <sup>1</sup> / <sub>2</sub> 214 214 <sup>1</sup> / <sub>2</sub> 238	25/6 37/6 24/6 36/6 46/6	26/6 38/6 25/6 37/6 47/6	Bright Surface. Ormolu supports Ormolu supports	101 101a 102 8	ft6 2ft9 //3 8/9 //3 7/9	3/3 3/3 3/ft 3 ft 3 9/3 9/9 8/3 8/9 2/9	10/3 } 6d. extra.	
902 1996 967	11/- 20/-	11/6 21/-		363 39.7 430	9/- 10/- 19/6 20/6	9/6 10/6 20/6 21/6		289 263 264	47/6 55/6 59/6	48/6 57/- 61/-	Best 60/- extra. Second 50/-	104a 104a 3:	ft 6 3 ft 9 2/6 13/-	6/3 4/6 4 ft 4 ft (13/6 14/6	6/9 5/-	

DCAT


1876 #PAPV03B167




### REGISTERED DESIGNS OF CAST IRON FENDERS.












No. 988, STEEL TOP AND BALLS, ASSORTED TO 4 FT. BLACK OR BRONZE.




No. 987, STEEL TOP AND BALLS, ASSORTED TO 4 FT. BLACK OR BRONZE.




No. 991,
STEEL TOP AND BALLS,
ASSORTED TO 4 FEET, BLACK OR BRONZED
IF WITH STREEL MOULDING, 987A.



No. 962, STEEL TOP AND BALLS, BRIGHT FEET, ASSORTED TO 4 FT. 3, BLACK OR BRONZE.





No. 968, STEEL TOP AND BALLS, ORMOLU MOUNTS, ASSORTED TO 4 FT. 8, BLACK OR BRONZE.







### REGISTERED DESIGNS OF CAST IRON FENDERS.








### FINE CAST REGISTERED DESIGNS.













NO. X129, STEEL TOP AND BALLS. FLAT PLATE, BLACK, ASSORTED TO 4 FT. 3.









## FINE CAST FENDERS, REGISTERED DESIGNS.


No. X153, BRIGHT TOP, B. B. OR BRONZED, FLAT PLATE, ASSORTED TO 8 FT. 6.




No. X103, BRIGHT TOP, BLACK OR BRONZE, ASSORTED TO 3 FT. 6




No. 116, POLISHED STEEL TOP AND BALLS, BLACK OR BRONZE, ASSORTED TO 4 FT. 6.





No. 117,
POLISHED STEEL TOP AND BALLS, BLACK OR
BRONZE, ASSORTED TO 4 FT. 6.
IF STEEL FEET. 1/6 EXTRA.




No. X154, STEEL TOP AND BALLS, BLK. OR BRONZE TO 4 FT.




















### FINE CAST FENDERS, ALL FLAT BOTTOM PLATES.












No. 114, BLACK.


No. 113. STEEL TOP AND BALLS, BLACK OR BRONZE, ASSORTED LENGTHS TO 4 FT. 6.






## FINE CAST FENDERS, REGISTERED DESIGNS.


No. 124, BLACK OR BRONZE FIN. STEEL RAIL. ASSORTED LENGTHS TO 4 FT. 6.




No. 125, BLACK OR BRONZE #IN. STEEL RAIL. ASSORTED LENGTHS TO 4 FT. 6.




No. 126.
BLACK OR BRONZE, FIN. STEEL RAIL AND FEET.




No. 127,
BERLIN BLACK, WITH BLACK SUPPORTS.
BRIGHT , 4/- EXTRA.
ASSORTED LENGTHS TO 4 FT. 9.




No. 244,
BRIGHT SURFACE, STEEL RAIL AND FEET,
IF ELECTRO BRONZE 7/- EXTRA.
ASSORTED LENGTHS TO 5 FT.




No. 246,
BRIGHT SURFACE, POLISHED STEEL RAIL AND FEET
IF ELECTRO BRONZE, 7/- EXTRA.






# FINE CAST FENDERS, REGISTERED DESIGNS.






No. 238, ALL POLISHED STEEL. ASSORTED LENGTHS TO 5 FT.



No. 239.
POLISHED STEEL WITH ORMOLU SUPPORTS.
ASSORTED LENGTHS TO 5 FT.





No. 263,
POLISHED STEEL, ORMOLU SUPPORTS.
ASSORTED LENGTHS TO 5 FT.




No. 264,
POLISHED STEEL, ORMOLU SUPPORTS.
ASSORTED LENGTHS TO 5 FT.





















No. 100. LONDON PATTERN, 5IN. DEEP, ASS'D. TO 8 FT.



No. 101.


LONDON PATTERN, WITH SLIDING BAR, 6 IN. DEEP.

NO. 101A. DO. DO. WITH FAST BAR, ASS'D TO SFT.6.




No. 102.

ALL BRIGHT, 6 IN. DEEP, WITH STEEL MOULDING,
NO. 102A. DO. DO. 5 IN. DEEP, MADE ANY LENGTH.



No. 108.

MANCHESTER PATTERN, 6 IN. DEEP,
NO. 108A. DO. DO. 5 IN.; ASS'D. TO 8 FT. 8.




No. 104.

MANCHESTER PATTERN, 6 IN. DEEP, 8 BARS, 13 TOP.

NO. 104A. DO. DO. 6 IN. DEEP, 8 BARS, 13 TOP.

ASS'D. TO 4FT.



No. 105.

ALL BRIGHT 6 IN. DEEP, WITH STEEL MOULDING, MADE ANY LENGTH.

